

Quantum Monty Hall problem under decoherence

Salman Khan, M. Ramzan and M. K. Khan

Department of Physics Quaid-i-Azam University

Islamabad 45320, Pakistan

(Dated: July 14, 2009)

We study the effect of decoherence on quantum Monty Hall problem under the influence of amplitude damping, depolarizing and dephasing channels. It is shown that under the effect of decoherence, there is a Nash equilibrium of the game in case of depolarizing channel for Alice's quantum strategy. Where as in case of dephasing noise, the game is not influenced by the quantum channel. For amplitude damping channel, the Bob's payoffs are found symmetrical with maximum at $p = 0.5$ against his classical strategy. However, it is worth-mentioning that in case of depolarizing channel, Bob's classical strategy remains always dominant against any choice of Alice's strategy.

Keywords: Quantum Monty Hall problem; decoherence; payoffs.

I. INTRODUCTION

In the recent past, much interest has been developed in the discipline of quantum information [1] that has led to the creation of quantum game theory [2]. Quantum game theory [3-9] has attracted a lot of attention during the last few years. The quantum Monty Hall problem [9] is an interesting example in this realm. The quantum game theory has been shown to be experimentally feasible through the application of a measurement-based protocol by Prevedel et al. [10]. They realized a quantum version of the Prisoner's Dilemma game based on the entangled photonic cluster states.

In quantum information processing, the main problem is to faithfully transmit unknown quantum states through a noisy quantum channel. When quantum information is sent through a channel, the carriers of the information interact with the channel and get entangled with its many degrees of freedom. This gives rise to the phenomenon of decoherence on the state space of the information carriers. Quantum games in the presence of decoherence have produced interesting

results [13, 14]. Recently, we have studied the correlated noise effects in the field of quantum game theory [15].

In this paper, we study the effect of quantum decoherence on the quantum Monty Hall problem [9]. It is shown that under the effect of decoherence, a Nash equilibrium of the game exists in case of depolarizing channel. On the other hand, in case of amplitude damping channel, the Bob's payoffs are found symmetrical with maximum at $p = 0.5$ against his classical strategy, where p corresponds to the decoherence parameter ranging from 0 to 1. The lower and upper limits of p represents the undecohered and fully decohered cases respectively. It is also seen that the dephasing noise have no influence on the game dynamics. However, it is worth-mentioning that in case of depolarizing channel, Bob's classical strategy becomes dominant against any choice of Alice's strategy.

II. QUANTUM MONTY HALL PROBLEM

The well-known classical Monty Hall problem was originally set in the context of a television game show "*Let's make a deal*" hosted by Monty Hall. It is a two-person zero sum game involving a prize (car) and three doors. In the classical version of this problem, the host of the show (Alice) hides the car behind one of the three closed doors. The guest (Bob) is asked to select one door out of the three closed doors. Alice then opens one of the two remaining doors to show that there is no prize behind it. Then Bob has the option either to stick with his current selection or to choose the second closed door. This is the actual dilemma of the game. Classically, switching to the other door increases the winning probability from one-third to two-third for Bob.

A number of authors have contributed towards the quantization of Monty Hall problem [9, 11, 12, 16] They have shown that quantum entanglement affects the payoffs of the players. In practice no system can be completely isolated from its environment. Therefore, the interaction between system and environment leads to the destruction of quantum coherence of the system. It produces an inevitable noise and results in the loss of information encoded in the system [17]. We proceed with the quantization protocol of [9] and study the effect of decoherence introduced by the three prototype channels such as amplitude damping, depolarizing and dephasing channels on the game's dynamics.

We consider that the game space is a 3-dimensional complex Hilbert space with orthonormal basis $|0\rangle$, $|1\rangle$ and $|2\rangle$. Such a 3-dimensional system in Hilbert space is called a qutrit. Alice and Bob strategies are operators acting on their respective qutrits and are generally given by $A = a_{ij}$ and $B = b_{ij}$. The open box operator O , which is an open box marking operator and not a measuring

operator, is a unitary operator that can be written as [9]

$$O = \sum_{ijkl} |\varepsilon_{ijk}| |njk\rangle \langle ljk| + \sum_{jl} |mjj\rangle \langle ljj| \quad (1)$$

where $|\varepsilon_{ijk}| = 1$, if i, j, k are all different and is 0 otherwise, $m = (j + l + 1) * (\text{mod} 3)$, and $n = (i + l) (\text{mod} 3)$. The second term of operator O provides an option to Alice for opening an un-chosen box by Bob. The switching operator S of Bob can be written as

$$S = \sum_{ijkl} |\varepsilon_{ijl}| |ilk\rangle \langle ijk| + \sum_{ij} |iij\rangle \langle iij| \quad (2)$$

The second term in equation (2) ensures the unitarity of operator S and is irrelevant to the mechanics of the game[9]. The Bob's not-switching operator N is the identity operator I that acts on the three-qutrit state. The total operator for the not-switching situation of the game can be written as

$$U_N = (N \sin \gamma) O (I \otimes B \otimes A) \quad (3)$$

and if the Bob switches, the total operator becomes

$$U_S = (S \cos \gamma) O (I \otimes B \otimes A) \quad (4)$$

where $\gamma \in [0, \frac{\pi}{2}]$, $\gamma = 0$, $\frac{\pi}{2}$ correspond to the switching and not-switching choices of the Bob respectively. All the summations in above equations are over the range 0, 1 and 2.

The evolution of a state of a quantum system in a noisy environment can be best described by superoperator Φ in the Kraus operator representation as [1]

$$\rho_f = \Phi \rho_i = \sum_k E_k \rho_i E_k^\dagger \quad (5)$$

where the Kraus operators E_i satisfy the following completeness relation

$$\sum_k E_k^\dagger E_k = I \quad (6)$$

The Kraus operators, in our case, for the game are constructed from single qutrit operators by taking their tensor product over all n^2 combination of $\pi(i)$ indices

$$E_k = \bigotimes_{\pi} e_{\pi(i)} \quad (7)$$

where n is the number of Kraus operators for a single qutrit channel. The single qutrit Kraus operators for the amplitude damping channel are given by [18]

$$E_0 = \begin{pmatrix} 1 & 0 & 0 \\ 0 & \sqrt{1-p} & 0 \\ 0 & 0 & \sqrt{1-p} \end{pmatrix}, \quad E_1 = \begin{pmatrix} 0 & \sqrt{p} & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix}, \quad E_2 = \begin{pmatrix} 0 & 0 & \sqrt{p} \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix} \quad (8)$$

The Kraus operator for a single qutrit for the dephasing channel are given by [18]

$$E_0 = \sqrt{1-p} \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}, \quad E_1 = \sqrt{p} \begin{pmatrix} 1 & 0 & 0 \\ 0 & \omega & 0 \\ 0 & 0 & \omega^2 \end{pmatrix}, \quad (9)$$

where p corresponds to the decoherence parameter and $\omega = e^{2i\pi/3}$. The single qutrit Kraus operators for the depolarizing channel are given by [19]

$$E_0 = \sqrt{1-p}I, \quad E_1 = \sqrt{\frac{p}{8}}Y, \quad E_2 = \sqrt{\frac{p}{8}}Z, \quad E_3 = \sqrt{\frac{p}{8}}Y^2, \quad E_4 = \sqrt{\frac{p}{8}}YZ \quad (10)$$

$$E_5 = \sqrt{\frac{p}{8}}Y^2Z, \quad E_6 = \sqrt{\frac{p}{8}}YZ^2, \quad E_7 = \sqrt{\frac{p}{8}}Y^2Z^2, \quad E_8 = \sqrt{\frac{p}{8}}Z^2 \quad (11)$$

where

$$Y = \begin{pmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 1 & 0 & 0 \end{pmatrix}, \quad Z = \begin{pmatrix} 1 & 0 & 0 \\ 0 & \omega & 0 \\ 0 & 0 & \omega^2 \end{pmatrix} \quad (12)$$

We consider the following maximally entangled qutrit state, which is shared between Alice and Bob

$$|\psi_i\rangle = |0\rangle \otimes \frac{1}{\sqrt{3}} (|00\rangle + |11\rangle + |22\rangle) \quad (13)$$

In equation (13) the state $|0\rangle$ stands for the open door. The final state for the case when Bob does not switch to the other door becomes

$$\rho_{fN} = U_N \left(\sum_k E_k \rho_i E_k^\dagger \right) U_N^\dagger \quad (14)$$

For the case of switching to the other door, the game final state becomes

$$\rho_{fS} = U_S \left(\sum_k E_k \rho_i E_k^\dagger \right) U_S^\dagger \quad (15)$$

where

$$\rho_i = |\psi_i\rangle \langle \psi_i| \quad (16)$$

Bob wins if he chooses the door behind which the prize is located. Hence the payoff of Bob is given by

$$\langle \$_B \rangle = \langle \$_B \rangle_N + \langle \$_B \rangle_S = \sum_{ijj} \left((\rho_{fN})_{ijj} + (\rho_{fS})_{ijj} \right) \quad (17)$$

The payoff of Alice is then given by $\langle \$_A \rangle = 1 - \langle \$_B \rangle$.

III. CALCULATION, RESULTS AND DISCUSSIONS

In this section, we present the results of our calculations based on the three prototype channels such as amplitude damping, depolarizing and dephasing channels parametrized by the decoherence parameter p .

A. Amplitude damping channel

By using equations (8, 13 and 16), the Bob's payoff for not-switching case can be written as

$$\begin{aligned}
\langle \$_B \rangle_N = & -\frac{1}{3}(A_1(-1-2p^2) + A_2(-1+2p-p^2) \\
& +(-1+p)(A_3p + (a_{01}b_{01} + a_{02}b_{02})a_{00}^*b_{00}^* + (a_{00}b_{00} + a_{02}b_{02} \\
& -a_{02}b_{02}p)a_{01}^*b_{01}^* + (a_{00}b_{00} + a_{01}b_{01} - a_{01}b_{01}p)a_{02}^*b_{02}^* \\
& +(a_{11}b_{11} + a_{12}b_{12})a_{10}^*b_{10}^* + (a_{10}b_{10} + a_{12}b_{12} - a_{12}b_{12}p)a_{11}^*b_{11}^* \\
& +(a_{10}b_{10} + a_{11}b_{11} - a_{11}b_{11}p)a_{12}^*b_{12}^* \\
& +(a_{21}b_{21} + a_{22}b_{22})a_{20}^*b_{20}^* + (a_{20}b_{20} + a_{22}b_{22} - a_{22}b_{22}p)a_{21}^*b_{21}^* \\
& +(a_{20}b_{20} + a_{21}b_{21} - a_{21}b_{21}p)a_{22}^*b_{22}^*) \sin^2 \gamma
\end{aligned} \tag{18}$$

where the coefficients A_i are given in appendix A.

For the case when Bob switches to the other door, the payoff can be obtained by using equations (8, 15 and 16) which reads

$$\begin{aligned}
\langle \$_B \rangle_S = & -\frac{1}{3}((-1-2p^2)B_1 + (-1+p)pB_2 + (-1+p)^2B_3 \\
& +(-a_{12}b_{02}a_{11}^* - a_{22}b_{02}a_{21}^*)b_{01}^* - (a_{11}b_{01}a_{12}^*b + a_{21}b_{01}a_{22}^*)b_{02}^* \\
& -(a_{02}b_{12}a_{01}^* + a_{22}b_{12}a_{21}^*)b_{11}^* - (a_{01}b_{11}a_{02}^* + a_{21}b_{11}a_{22}^*)b_{12}^* \\
& -(a_{02}b_{22}a_{01}^* + a_{12}b_{22}a_{11}^*)b_{21}^* - (a_{01}b_{21}a_{02}^* + a_{11}b_{21}a_{12}^*)b_{22}^* \\
& +(-1+p)(a_{20}^*((a_{21}b_{01} + a_{22}b_{02})b_{00}^* + (a_{21}b_{11} + a_{22}b_{12})b_{10}^*) \\
& +a_{20}a_{21}^*(b_{00}b_{01}^* + b_{10}b_{11}^*) + a_{20}a_{22}^*(b_{00}b_{02}^* + b_{10}b_{12}^*) \\
& +a_{00}^*((a_{01}b_{11} + a_{02}b_{12})b_{10}^* + (a_{01}b_{21} + a_{02}b_{22})b_{20}^*) \\
& +a_{10}^*((a_{11}b_{01} + a_{12}b_{02})b_{00}^* + (a_{11}b_{21} + a_{12}b_{22})b_{20}^*) \\
& +a_{10}a_{11}^*(b_{00}b_{01}^* + b_{20}b_{21}^*) + a_{10}a_{12}^*(b_{00}b_{02}^* + b_{20}b_{22}^*) \\
& +a_{00}(a_{01}^*(b_{10}b_{11}^* + b_{20}b_{21}^*) + a_{02}^*(b_{10}b_{12}^* + b_{20}b_{22}^*))) \cos^2 \gamma
\end{aligned} \tag{19}$$

Where B_i , are given in appendix A. The total payoff of Bob is the sum of equations (18 and 19).

To analyze our results, we consider that let Bob has access to a classical strategy only (i.e., $B = I$), therefore, he can select any door with equal probability. Then Bob's total payoff becomes

$$\begin{aligned}
\langle \$_B \rangle = & -\frac{1}{3}(-(|a_{01}|^2 + |a_{02}|^2 + |a_{12}|^2 + |a_{21}|^2)(-1 + p)^2 \\
& + (2|a_{00}|^2 + |a_{10}|^2 + |a_{11}|^2 + |a_{12}|^2 + |a_{20}|^2 + |a_{21}|^2 \\
& + |a_{22}|^2)(-1 + p)p + (|a_{10}|^2 + |a_{20}|^2)(-1 - 2p^2)) \cos^2 \gamma \\
& - 1/3(|a_{00}|^2(-1 - 2p^2) + (|a_{11}|^2 + |a_{22}|^2)(-1 + 2p - p^2) \\
& + (|a_{01}|^2 + |a_{02}|^2 + |a_{10}|^2 + |a_{20}|^2)(-p + p^2)) \sin^2 \gamma
\end{aligned} \tag{20}$$

Now, Alice can make the game fair if she uses an operator whose every diagonal element has an absolute value of $\frac{1}{\sqrt{2}}$ and every off-diagonal element has an absolute value of $\frac{1}{2}$. One such SU(3) operator is

$$H = \begin{pmatrix} \frac{1}{\sqrt{2}} & \frac{1}{2} & \frac{1}{2} \\ -\frac{1}{2} & \frac{3-i\sqrt{7}}{4\sqrt{2}} & \frac{1+i\sqrt{7}}{4\sqrt{2}} \\ \frac{-1-i\sqrt{7}}{4\sqrt{2}} & \frac{-3+i\sqrt{7}}{8} & \frac{5+i\sqrt{7}}{8} \end{pmatrix} \tag{21}$$

The total payoff for Bob by using the above operator is obtained as

$$\langle \$_B \rangle = \frac{1}{6} ((3 - 2(-1 + p)p) \cos^2 \gamma + (3 + 2(-1 + p)p) \sin^2 \gamma) \tag{22}$$

It is easy to check that by setting $p = 0$, in equation (22), the Bob's payoff reduces to the results obtained in ref. [9]. For $p = 0.5$, the probability of Bob to win increases to 58.33% if he changes the current selection and switch to the other door. This result for the Bob's payoff is different both from the classical result (66%) and quantum mechanical result (50%) without decoherence. If Bob sticks to his current selection, his winning probability is 41.66%, lesser than the quantum mechanical payoff $\frac{1}{2}$. The dependence of Bob's payoff on p for both switching and not-switching cases is shown in figure 1. However, instead of classical strategy (identity operator) if Bob has access to the quantum strategy too, that is, if Bob uses any one of the following operators

$$M_1 = \begin{pmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 1 & 0 & 0 \end{pmatrix} \quad M_2 = \begin{pmatrix} 0 & 0 & 1 \\ 1 & 0 & 0 \\ 0 & 1 & 0 \end{pmatrix} \tag{23}$$

and then switches, his payoff increases. The dependence of Bob's payoff for $B = M_i$ is shown in figure 3.

Now consider the situation where Alice is restricted to a classical strategy, that is, Alice operates $A = I$. Then, in the undecohered case, Bob wins ($\$B = 1$) by using $B = I$, if he does not switch. However, under decoherence, Bob's winning probability reduces to two-third for $p = 0.5$ even if he does not switch. If Bob switches, his winning probability reduces to one-third for $p = 0.5$. Similarly, for $p = 0$ Bob wins if he uses M_i (M_1 or M_2) and then switches. Where as in the presence of noise, Bob's winning probability reduces to 83.3% for $p = 0.5$ even if he switches. The dependence of Bob's payoff on decoherence parameter p for the case when both Alice and Bob use classical strategies is shown in figure 2. For Alice to make the game fair (i.e. $A = H$), the maximum value of Bob's payoff occurs if he uses either of M_i and then switches. In conclusion, the Bob's payoffs are found symmetrical with maximum at $p = 0.5$ against his classical strategy (see figure 3).

B. Depolarizing channel

In case of depolarizing channel, the Bob's payoff for not-switching case can be found by using equations (14 and 11) as

$$\begin{aligned}
\langle \$B \rangle_N = & -\frac{1}{192}(C - (8 - 9p)^2((a_{01}b_{01} + a_{02}b_{02})a_{00}^*b_{00}^* + (a_{00}b_{00} + a_{02}b_{02})a_{01}^*b_{01}^* \\
& + (a_{00}b_{00} + a_{01}b_{01})a_{02}^*b_{02}^* + (a_{11}b_{11} + a_{12}b_{12})a_{10}^*b_{10}^* + (a_{10}b_{10} + a_{12}b_{12})a_{11}^*b_{11}^* \\
& + (a_{10}b_{10} + a_{11}b_{11})a_{12}^*b_{12}^* + (a_{21}b_{21} + a_{22}b_{22})a_{20}^*b_{20}^* \\
& + (a_{20}b_{20} + a_{22}b_{22})a_{21}^*b_{21}^* + (a_{20}b_{20} + a_{21}b_{21})a_{22}^*b_{22}^*)) \sin^2 \gamma
\end{aligned} \tag{24}$$

where C is given in appendix A. Similarly, using equations (11, 15 and 16), the Bob's payoff for the switching case becomes

$$\begin{aligned}
\langle \$_B \rangle_S = & \frac{1}{192}((48p - 27p^2)D_1 + (64 - 96p + 54p^2)D_2 \\
& + (8 - 9p)^2((a_{21}b_{01} + a_{22}b_{02})a_{20}^*b_{00}^* + (a_{20}b_{00} + a_{22}b_{02})a_{21}^*b_{01}^* \\
& + (a_{20}b_{00} + a_{21}b_{01})a_{22}^*b_{02}^* + (a_{21}b_{11} + a_{22}b_{12})a_{20}^*b_{10}^* \\
& + (a_{20}b_{10} + a_{22}b_{12})a_{21}^*b_{11}^* + (a_{20}b_{10} + a_{21}b_{11})a_{22}^*b_{12}^* \\
& + (a_{01}b_{11} + a_{02}b_{12})a_{00}^*b_{10}^* + (a_{01}b_{21} + a_{02}b_{22})a_{00}^*b_{20}^* \\
& + (a_{11}b_{01} + a_{12}b_{02})a_{10}^*b_{00}^* + (a_{11}b_{21} + a_{12}b_{22})a_{10}^*b_{20}^* \\
& + (a_{00}b_{10} + a_{02}b_{12})a_{01}^*b_{11}^* + (a_{00}b_{20} + a_{02}b_{22})a_{01}^*b_{21}^* \\
& + (a_{10}b_{00} + a_{12}b_{02})a_{11}^*b_{01}^* + (a_{10}b_{20} + a_{12}b_{22})a_{11}^*b_{21}^* \\
& + (a_{00}b_{10} + a_{01}b_{11})a_{02}^*b_{12}^* + (a_{00}b_{20} + a_{01}b_{21})a_{02}^*b_{22}^* \\
& + (a_{10}b_{00} + a_{11}b_{01})a_{12}^*b_{02}^* + (a_{10}b_{20} + a_{11}b_{21})a_{12}^*b_{22}^*)) \cos^2 \gamma
\end{aligned} \tag{25}$$

where D_i are given in appendix A.

Bob's total payoff is the sum of equations (24 and 25). To analyze the effect of decoherence on Bob's payoff we consider for example that Bob plays the classical strategy $B = I$, then Bob's total payoff becomes

$$\begin{aligned}
\langle \$_B \rangle = & 1/192((64 - 96p + 54p^2)(|a_{01}|^2 + |a_{02}|^2 + |a_{10}|^2 + |a_{12}|^2 \\
& + |a_{20}|^2 + |a_{21}|^2) + (48p - 27p^2)(2|a_{00}|^2 + |a_{01}|^2 + |a_{02}|^2 \\
& + |a_{10}|^2 + 2|a_{11}|^2 + |a_{12}|^2 + |a_{20}|^2 + |a_{21}|^2 + 2|a_{22}|^2) \cos^2 \gamma \\
& - ((-48p + 27p^2)(|a_{01}|^2 + |a_{02}|^2 + |a_{10}|^2 + |a_{12}|^2 + |a_{20}|^2 + |a_{21}|^2) \\
& + (-64 + 96p - 54p^2)(|a_{00}|^2 + |a_{11}|^2 + |a_{22}|^2)) \sin^2 \gamma)
\end{aligned} \tag{26}$$

The game becomes fair if Alice uses the operator H as given in equation (21). Bob's total payoff then becomes

$$\langle \$_B \rangle = \frac{1}{128}((64 + 3(16 - 9p)p) \cos^2 \gamma + (64 + 3p(-16 + 9p)) \sin^2 \gamma) \tag{27}$$

We can see that in the absence of decoherence i.e. $p = 0$, our results equation (27) reduces to the results of ref. [9]. However, in the presence of decoherence i.e. for $p = 0.5$, Bob's winning probability increases to 63.47% instead of 50% if he switches to the other door and if he sticks

to his current selection, the winning probability is just 36.52%. On the other hand, for $p = 0.9$ the classical results are retrieved. The Bob's payoffs for $A = H$ and $B = I$ in the presence of decoherence for both switching and not-switching cases are shown in figure 4.

Bob's payoffs in the presence of decoherence for $B = A = I$, are shown in figure 5. We see from figure 5 that Bob can win with a two-third probability for $p = 0.9$ even if he switches to the other door. This is in contrary to the $p = 0$ situation, where Bob loses ($\langle \$_B \rangle = 0$) in the case of switching to the other door. Thus, it gives rise to the Nash equilibrium of the game under decoherence. Further more, If Bob uses M_i and then switches, his winning probability varies from 1 to $\frac{2}{3}$ as p varies from 0 to 1.

C. Dephasing Channel

Bob's payoff for not-switching case in the presence of dephasing noise can be written, by using equations (14, 16) and 9), as

$$\begin{aligned}
\langle \$_B \rangle_N = & \frac{1}{6}(2E + 2((a_{01}b_{01} + a_{02}b_{02})a_{00}^*b_{00}^* + (a_{00}b_{00} + a_{02}b_{02})a_{01}^*b_{01}^* \\
& + (a_{00}b_{00} + a_{01}b_{01})a_{02}^*b_{02}^* + (a_{11}b_{11} + a_{12}b_{12})a_{10}^*b_{10}^* \\
& + (a_{10}b_{10} + a_{12}b_{12})a_{11}^*b_{11}^* + (a_{10}b_{10} + a_{11}b_{11})a_{12}^*b_{12}^* \\
& + (a_{21}b_{21} + a_{22}b_{22})a_{20}^*b_{20}^* + (a_{20}b_{20} + a_{22}b_{22})a_{21}^*b_{21}^* \\
& + (a_{20}b_{20} + a_{21}b_{21})a_{22}^*b_{22}^*) + 3(-2 + p)p((a_{01}b_{01} + a_{02}b_{02})a_{00}^*b_{00}^* \\
& + (a_{00}b_{00} + a_{02}b_{02})a_{01}^*b_{01}^* + (a_{00}b_{00} + a_{01}b_{01})a_{02}^*b_{02}^* \\
& + (a_{11}b_{11} + a_{12}b_{12})a_{10}^*b_{10}^* + (a_{10}b_{10} + a_{12}b_{12})a_{11}^*b_{11}^* \\
& + (a_{10}b_{10} + a_{11}b_{11})a_{12}^*b_{12}^* + (a_{21}b_{21} + a_{22}b_{22})a_{20}^*b_{20}^* \\
& + (a_{20}b_{20} + a_{22}b_{22})a_{21}^*b_{21}^* + (a_{20}b_{20} + a_{21}b_{21})a_{22}^*b_{22}^*) \\
& + \sqrt{3}ip(-2 + 3p)(-(a_{01}b_{01} - a_{02}b_{02})a_{00}^*b_{00}^* + (a_{00}b_{00} - a_{02}b_{02})a_{01}^*b_{01}^* \\
& - (a_{00}b_{00} - a_{01}b_{01})a_{02}^*b_{02}^* - (a_{11}b_{11} - a_{12}b_{12})a_{10}^*b_{10}^* \\
& + (a_{10}b_{10} - a_{12}b_{12})a_{11}^*b_{11}^* - (a_{10}b_{10} - a_{11}b_{11})a_{12}^*b_{12}^* - (a_{21}b_{21} - a_{22}b_{22})a_{20}^*b_{20}^* \\
& + (a_{20}b_{20} - a_{22}b_{22})a_{21}^*b_{21}^* - (a_{20}b_{20} - a_{21}b_{21})a_{22}^*b_{22}^*)) \sin^2 \gamma
\end{aligned} \tag{28}$$

where E is given in appendix A. However, if Bob switches to the other door his payoff becomes

$$\begin{aligned} \langle \$_B \rangle_S = & \frac{1}{6}(2F_1 + 3(1 + \sqrt{3}i)p^2F_2 + (3 - 3\sqrt{3}i)p^2F_3 \\ & + (2 + 2(-3 + \sqrt{3}i)p)F_4 + (2 - 2(3 + \sqrt{3}i)p)F_5) \cos^2 \gamma \end{aligned} \quad (29)$$

Where F_i are given in appendix A. It is important to note here that Bob's payoffs for not-switching and switching cases are written in general form. Bob's total payoff reduces to the result of ref. [9] when we set the decoherence parameter $p = 0$ in the general relation. Further more, when either Bob or Alice is restricted to a classical strategy the total Bob's payoff becomes independent of decoherence parameter p . The same is true for the case of when Alice and Bob use quantum strategies. Therefore, the dephasing noise does not influence the game.

IV. CONCLUSIONS

We study the quantum Monty Hall problem under the influence of amplitude damping, depolarizing and dephasing channels. A Nash equilibrium of the game exists under the effect of decoherence against Alice's quantum strategy in the case of depolarizing channel. It is also seen that the dephasing noise does not influence the game in contrary to the depolarizing and amplitude damping channels. It is worth-mentioning that for amplitude damping and depolarizing channels, Bob's classical strategy is superior over any choice of Alice's strategy.

Appendix A

The coefficients A_i in equation (18) are given below,

$$\begin{aligned} A_1 &= |a_{00}|^2 |b_{00}|^2 + |a_{10}|^2 |b_{10}|^2 + |a_{20}|^2 |b_{20}|^2 \\ A_2 &= |a_{01}|^2 |b_{01}|^2 + |a_{02}|^2 |b_{02}|^2 + |a_{11}|^2 |b_{11}|^2 + |a_{12}|^2 |b_{12}|^2 \\ &\quad + |a_{21}|^2 |b_{21}|^2 + |a_{22}|^2 |b_{22}|^2 \\ A_3 &= |a_{01}|^2 |b_{00}|^2 + |a_{02}|^2 |b_{00}|^2 + |a_{00}|^2 |b_{01}|^2 + |a_{00}|^2 |b_{02}|^2 \\ &\quad + |a_{11}|^2 |b_{10}|^2 + |a_{12}|^2 |b_{10}|^2 + |a_{10}|^2 |b_{11}|^2 + |a_{10}|^2 |b_{12}|^2 \\ &\quad + |a_{21}|^2 |b_{20}|^2 + |a_{22}|^2 |b_{20}|^2 + |a_{20}|^2 |b_{21}|^2 + |a_{20}|^2 |b_{22}|^2 \end{aligned} \quad (30)$$

The coefficients B_i in equation (19) are given below,

$$\begin{aligned}
B_1 &= |a_{20}|^2 (|b_{00}|^2 + |b_{10}|^2) + |a_{10}|^2 (|b_{00}|^2 + |b_{20}|^2) + |a_{00}|^2 (|b_{10}|^2 + |b_{20}|^2) \\
B_2 &= |a_{21}|^2 |b_{00}|^2 + |a_{22}|^2 |b_{00}|^2 + |a_{10}|^2 |b_{01}|^2 + |a_{20}|^2 |b_{01}|^2 + |a_{10}|^2 |b_{02}|^2 + |a_{20}|^2 |b_{02}|^2 \\
&\quad + |a_{01}|^2 |b_{10}|^2 + |a_{02}|^2 |b_{10}|^2 + |a_{21}|^2 |b_{10}|^2 + |a_{22}|^2 |b_{10}|^2 \\
&\quad + |a_{00}|^2 |b_{11}|^2 + |a_{20}|^2 |b_{11}|^2 + |a_{00}|^2 |b_{12}|^2 + |a_{20}|^2 |b_{12}|^2 \\
&\quad + |a_{01}|^2 |b_{20}|^2 + |a_{02}|^2 |b_{20}|^2 + |a_{11}|^2 (|b_{00}|^2 + |b_{20}|^2) \\
&\quad + |a_{12}|^2 (|b_{00}|^2 + |b_{20}|^2) + |a_{00}|^2 |b_{21}|^2 + |a_{10}|^2 |b_{21}|^2 + |a_{00}|^2 |b_{22}|^2 \\
&\quad + |a_{10}|^2 |b_{22}|^2 \\
B_3 &= |a_{12}|^2 |b_{02}|^2 + |a_{22}|^2 |b_{02}|^2 + |a_{01}|^2 |b_{11}|^2 \\
&\quad + |a_{21}|^2 (|b_{01}|^2 + |b_{11}|^2) + |a_{02}|^2 |b_{12}|^2 + |a_{22}|^2 |b_{12}|^2 + |a_{01}|^2 |b_{21}|^2 \\
&\quad + |a_{11}|^2 (|b_{01}|^2 + |b_{21}|^2) + |a_{02}|^2 |b_{22}|^2 + |a_{12}|^2 |b_{22}|^2
\end{aligned} \tag{31}$$

The coefficient C in equation (24) is given below,

$$\begin{aligned}
C &= |a_{00}|^2 |b_{00}|^2 + |a_{01}|^2 |b_{01}|^2 + |a_{02}|^2 |b_{02}|^2 + |a_{10}|^2 |b_{10}|^2 \\
&\quad + |a_{11}|^2 |b_{11}|^2 + |a_{12}|^2 |b_{12}|^2 + |a_{20}|^2 |b_{20}|^2 + |a_{21}|^2 |b_{21}|^2 \\
&\quad + |a_{22}|^2 |b_{22}|^2 + (-48p + 27p^2)(|a_{01}|^2 |b_{00}|^2 + |a_{02}|^2 |b_{00}|^2 \\
&\quad + |a_{00}|^2 |b_{01}|^2 + |a_{02}|^2 |b_{01}|^2 + |a_{00}|^2 |b_{02}|^2 + |a_{01}|^2 |b_{02}|^2 \\
&\quad + |a_{11}|^2 |b_{10}|^2 + |a_{12}|^2 |b_{10}|^2 + |a_{10}|^2 |b_{11}|^2 + |a_{12}|^2 |b_{11}|^2 \\
&\quad + |a_{10}|^2 |b_{12}|^2 + |a_{11}|^2 |b_{12}|^2 + |a_{21}|^2 |b_{20}|^2 + |a_{22}|^2 |b_{20}|^2 \\
&\quad + |a_{20}|^2 |b_{21}|^2 + |a_{22}|^2 |b_{21}|^2 + |a_{20}|^2 |b_{22}|^2 + |a_{21}|^2 |b_{22}|^2
\end{aligned} \tag{32}$$

The coefficients D_i in equation (25) are given below,

$$\begin{aligned}
D_1 = & |a_{21}|^2 |b_{00}|^2 + |a_{22}|^2 |b_{00}|^2 + |a_{10}|^2 |b_{01}|^2 + |a_{20}|^2 |b_{01}|^2 \\
& + |a_{22}|^2 |b_{01}|^2 + |a_{10}|^2 |b_{02}|^2 + |a_{20}|^2 |b_{02}|^2 + |a_{21}|^2 |b_{02}|^2 \\
& + |a_{01}|^2 |b_{10}|^2 + |a_{02}|^2 |b_{10}|^2 + |a_{21}|^2 |b_{10}|^2 + |a_{22}|^2 |b_{10}|^2 \\
& + |a_{00}|^2 |b_{11}|^2 + |a_{02}|^2 |b_{11}|^2 + |a_{20}|^2 |b_{11}|^2 + |a_{22}|^2 |b_{11}|^2 \\
& + |a_{00}|^2 |b_{12}|^2 + |a_{01}|^2 |b_{12}|^2 + |a_{20}|^2 |b_{12}|^2 + |a_{21}|^2 |b_{12}|^2 \\
& + |a_{01}|^2 |b_{20}|^2 + |a_{02}|^2 |b_{20}|^2 + |a_{00}|^2 |b_{21}|^2 + |a_{02}|^2 |b_{21}|^2 \\
& + |a_{10}|^2 |b_{21}|^2 + |a_{12}|^2 |b_{00}|^2 + |a_{12}|^2 |b_{01}|^2 + |a_{12}|^2 |b_{20}|^2 \\
& + |a_{12}|^2 |b_{21}|^2 + |a_{00}|^2 |b_{22}|^2 + |a_{01}|^2 |b_{22}|^2 + |a_{10}|^2 |b_{22}|^2 \\
& + |a_{11}|^2 |b_{00}|^2 + |a_{11}|^2 |b_{02}|^2 + |a_{11}|^2 |b_{20}|^2 + |a_{11}|^2 |b_{22}|^2 \\
D_2 = & |a_{11}|^2 |b_{01}|^2 + |a_{21}|^2 |b_{01}|^2 + |a_{12}|^2 |b_{02}|^2 \\
& + |a_{22}|^2 |b_{02}|^2 + |a_{00}|^2 |b_{10}|^2 + |a_{20}|^2 |b_{00}|^2 + |a_{20}|^2 |b_{10}|^2 \\
& + |a_{01}|^2 |b_{11}|^2 + |a_{21}|^2 |b_{11}|^2 + |a_{02}|^2 |b_{12}|^2 + |a_{22}|^2 |b_{12}|^2 \\
& + |a_{00}|^2 |b_{20}|^2 + |a_{10}|^2 |b_{00}|^2 + |a_{10}|^2 |b_{20}|^2 + |a_{01}|^2 |b_{21}|^2 \\
& + |a_{11}|^2 |b_{21}|^2 + |a_{02}|^2 |b_{22}|^2 + |a_{12}|^2 |b_{22}|^2
\end{aligned} \tag{33}$$

The coefficient E in equation (28) is given below,

$$\begin{aligned}
E = & |a_{00}|^2 |b_{00}|^2 + |a_{01}|^2 |b_{01}|^2 + |a_{02}|^2 |b_{02}|^2 + |a_{10}|^2 |b_{10}|^2 \\
& + |a_{11}|^2 |b_{11}|^2 + |a_{12}|^2 |b_{12}|^2 + |a_{20}|^2 |b_{20}|^2 + |a_{21}|^2 |b_{21}|^2 + |a_{22}|^2 |b_{22}|^2
\end{aligned} \tag{34}$$

The coefficients F_i in equation (29) are given below,

$$\begin{aligned}
F_1 &= |a_{21}|^2 |b_{01}|^2 + |a_{12}|^2 |b_{02}|^2 + |a_{22}|^2 |b_{02}|^2 \\
&\quad + |a_{20}|^2 (|b_{00}|^2 + |b_{10}|^2) + |a_{01}|^2 |b_{11}|^2 + |a_{21}|^2 |b_{11}|^2 \\
&\quad + |a_{02}|^2 |b_{12}|^2 + |a_{22}|^2 |b_{12}|^2 + |a_{10}|^2 |b_{20}|^2 + |a_{01}|^2 |b_{21}|^2 \\
&\quad + |a_{11}|^2 (|b_{01}|^2 + |b_{21}|^2) + |a_{02}|^2 |b_{22}|^2 \\
&\quad + |a_{12}|^2 |b_{22}|^2 + |a_{10}|^2 |b_{00}|^2 + |a_{00}|^2 |b_{10}|^2 \\
&\quad + |a_{00}|^2 |b_{20}|^2 \\
F_2 &= (a_{12}b_{02}a_{10}^*b_{00}^* + a_{22}b_{02}a_{20}^*b_{00}^* + a_{10}b_{00}a_{11}^*b_{01}^* \\
&\quad + a_{20}b_{00}a_{21}^*b_{01}^* + a_{11}b_{01}a_{12}^*b_{02}^* + a_{21}b_{01}a_{22}^*b_{02}^* \\
&\quad + a_{02}b_{12}a_{00}^*b_{10}^* + a_{22}b_{12}a_{20}^*b_{10}^* + a_{00}b_{10}a_{01}^*b_{11}^* \\
&\quad + a_{20}b_{10}a_{21}^*b_{11}^* + a_{01}b_{11}a_{02}^*b_{12}^* + a_{21}b_{11}a_{22}^*b_{12}^* \\
&\quad + a_{02}b_{22}a_{00}^*b_{20}^* + a_{12}b_{22}a_{10}^*b_{20}^* + a_{00}b_{20}a_{01}^*b_{21}^* \\
&\quad + a_{10}b_{20}a_{11}^*b_{21}^* + a_{01}b_{21}a_{02}^*b_{22}^* + a_{11}b_{21}a_{12}^*b_{22}^*) \\
F_3 &= a_{21}a_{20}^*(b_{01}b_{00}^* + b_{11}b_{10}^*) + a_{22}a_{21}^*(b_{02}b_{01}^* + b_{12}b_{11}^*) \\
&\quad + a_{20}a_{22}^*(b_{00}b_{02}^* + b_{10}b_{12}^*) + a_{11}a_{10}^*(b_{01}b_{00}^* + b_{21}b_{20}^*) \\
&\quad + a_{01}a_{00}^*(b_{11}b_{10}^* + b_{21}b_{20}^*) + a_{12}a_{11}^*(b_{02}b_{01}^* + b_{22}b_{21}^*) \\
&\quad + a_{02}a_{01}^*(b_{12}b_{11}^* + b_{22}b_{21}^*) + a_{10}a_{12}^*(b_{00}b_{02}^* + b_{20}b_{22}^*) \\
&\quad + a_{00}a_{02}^*(b_{10}b_{12}^* + b_{20}b_{22}^*)
\end{aligned} \tag{35}$$

$$\begin{aligned}
F_4 &= a_{21}a_{20}^*(b_{01}b_{00}^* + b_{11}b_{10}^*) + a_{22}a_{21}^*(b_{02}b_{01}^* + b_{12}b_{11}^*) \\
&\quad + a_{20}a_{22}^*(b_{00}b_{02}^* + b_{10}b_{12}^*) + a_{11}a_{10}^*(b_{01}b_{00}^* + b_{21}b_{20}^*) \\
&\quad + a_{01}a_{00}^*(b_{11}b_{10}^* + b_{21}b_{20}^*) + a_{12}a_{11}^*(b_{02}b_{01}^* + b_{22}b_{21}^*) \\
&\quad + a_{02}a_{01}^*(b_{12}b_{11}^* + b_{22}b_{21}^*) + a_{10}a_{12}^*(b_{00}b_{02}^* + b_{20}b_{22}^*) \\
&\quad + a_{00}a_{02}^*(b_{10}b_{12}^* + b_{20}b_{22}^*) \\
F_5 &= a_{22}a_{20}^*(b_{02}b_{00}^* + b_{12}b_{10}^*) + a_{20}a_{21}^*(b_{00}b_{01}^* + b_{10}b_{11}^*) \\
&\quad + a_{21}a_{22}^*(b_{01}b_{02}^* + b_{11}b_{12}^*) + a_{12}a_{10}^*(b_{02}b_{00}^* + b_{22}b_{20}^*) \\
&\quad + a_{02}a_{00}^*(b_{12}b_{10}^* + b_{22}b_{20}^*) + a_{10}a_{11}^*(b_{00}b_{01}^* + b_{20}b_{21}^*) \\
&\quad + a_{00}a_{01}^*(b_{10}b_{11}^* + b_{20}b_{21}^*) + a_{11}a_{12}^*(b_{01}b_{02}^* + b_{21}b_{22}^*) \\
&\quad + a_{01}a_{02}^*(b_{11}b_{12}^* + b_{21}b_{22}^*)
\end{aligned} \tag{36}$$

-
- [1] M. A. Nielson, I. L. Chuang, Quantum Computation and Quantum Information (Cambridge: Cambridge University Press), (2000).
 - [2] Meyer, D. A., Phys. Rev. Lett. **82**, 1052 .(1999)
 - [3] Eisert, J., Wilkens, M., Lewenstein, M., Phy. Rev. Lett. **83**, 3077. (1999)
 - [4] Marinatto, L., Weber,T., Phys. Lett. A **272**, 291.(2000)
 - [5] Flitney, A. P., Abbott, D., J. Phys. A **38**, 449. (2005)
 - [6] Cheon,T., Iqbal, A., J. Phys. Soc. Japan **77**, 024801 (2008)
 - [7] Ramzan, M., Nawaz, Ahmad., Toor, A. H., Khan, M. K., J. Phys. A: Math. Theor. **41**, 055307.(2008)
 - [8] Iqbal, A., Cheon, T., Abbott, D., Phys. Lett. A **372**, 6564.(2008)
 - [9] Flitney, A. P., Abbott, D., Phys. Rev. A **65**, 062318 (1999).
 - [10] Prevedel, R., Stefanov, A., Walther, P., Zeilinger, A., New J. Phys. **9**, 205 (2007)
 - [11] Zander, Claudia., *et al*, Annals of the Brazilian Academy of Sciences **78(3)**, 417 (2006)
 - [12] . D'Ariano, G.M., *et al*, Quantum Information and Computation **2(5)**, 355 (2002)
 - [13] Chen, L. K., Ang, H., Kiang, D., Kwek, L. C., Lo, C. F., Phys. Lett. A **316**, 317.(2003)
 - [14] Flitney, A. P., L. Hollenberg, C. L., Quant. Inform. Comput. **7**, 111.(2007)
 - [15] Ramzan, M., Khan, M. K., J. Phys. A: Math. Theor. **41**, 435302. (2008)
 - [16] Li, C. F.,. *et al*., Phy. Lett. A **280**, 257.(2001)
 - [17] Zurek, W. H., *et al*., Phys. Today **44**, 36.(1991)
 - [18] jeager,G, Journal of modern optics, vol **54**, 1 (2007)
 - [19] Berg, A., IEEE Transaction on Information Theory, **48**, 3096 (2002)

Figures Captions

Figure 1. Bob's payoff is plotted as a function of decoherence parameter p when Alice plays H and Bob plays I for amplitude damping channel. The solid line represents the Bob's payoff for $\gamma = 0$ and the dashed line represents the Bob's payoff for $\gamma = \frac{\pi}{2}$.

Figure 2. Bob's payoff is plotted as a function of decoherence parameter p , when both Alice and Bob play I for amplitude damping channel. The solid line represents the Bob's payoff for $\gamma = 0$ and the dashed line represents the Bob's payoff for $\gamma = \frac{\pi}{2}$.

Figure 3. Bob's payoff is plotted as a function of decoherence parameter p when Alice plays H and Bob plays M_1 or M_2 for amplitude damping channel. The solid line represents the Bob's payoff for $\gamma = 0$ and the dashed line represents the Bob's payoff for $\gamma = \frac{\pi}{2}$.

Figure 4. Bob's payoff is plotted as a function of decoherence parameter p when Alice plays H and Bob plays I for depolarizing channel. The solid line represents the Bob's payoff for $\gamma = 0$ and the dashed line represents the Bob's payoff for $\gamma = \frac{\pi}{2}$.

Figure 5. Bob's payoff is plotted as a function of decoherence parameter p when both Alice and Bob play I for depolarizing channel. The solid line represents the Bob's payoff for $\gamma = 0$ and the dashed line represents the Bob's payoff for $\gamma = \frac{\pi}{2}$.

Figure 6. Bob's payoff is plotted as a function of decoherence parameter p when Alice plays H and Bob plays M_1 or M_2 for depolarizing channel. The solid line represents the Bob's payoff for $\gamma = 0$ and the dashed line represents the Bob's payoff for $\gamma = \frac{\pi}{2}$.




FIG. 1: Bob's payoff is plotted as a function of decoherence parameter p when Alice plays H and Bob plays I for amplitude damping channel. The solid line represents the Bob's payoff for $\gamma = 0$ and the dashed line represents the Bob's payoff for $\gamma = \frac{\pi}{2}$.




FIG. 2: Bob's payoff is plotted as a function of decoherence parameter p , when both Alice and Bob play I , for amplitude damping channel. The solid line represents the Bob's payoff for $\gamma = 0$ and the dashed line represents the Bob's payoff for $\gamma = \frac{\pi}{2}$.




FIG. 3: Bob's payoff is plotted as a function of decoherence parameter p when Alice plays H and Bob plays M_1 or M_2 for amplitude damping channel. The solid line represents the Bob's payoff for $\gamma = 0$ and the dashed line represents the Bob's payoff for $\gamma = \frac{\pi}{2}$.




FIG. 4: Bob's payoff is plotted as a function of decoherence parameter p when Alice plays H and Bob plays I for depolarizing channel. The solid line represents the Bob's payoff for $\gamma = 0$ and the dashed line represents the Bob's payoff for $\gamma = \frac{\pi}{2}$.




FIG. 5: Bob's payoff is plotted as a function of decoherence parameter p when both Alice and Bob play I for depolarizing channel. The solid line represents the Bob's payoff for $\gamma = 0$ and the dashed line represents the Bob's payoff for $\gamma = \frac{\pi}{2}$.




FIG. 6: Bob's payoff is plotted as a function of decoherence parameter p when Alice plays H and Bob plays M_1 or M_2 for depolarizing channel. The solid line represents the Bob's payoff for $\gamma = 0$ and the dashed line represents the Bob's payoff for $\gamma = \frac{\pi}{2}$.